

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6078990".pn. and (maximize adj (performance or availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:35
L2	18	raid with (maximize adj (performance or availability))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:46
L3	3	performance adj comfort adj zone	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:09
L4	34703	(disk or disc or dasd) near2 (size or capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:52
L5	18539	IO\$2 adj (second or unit or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:58
L6	28809	("I/O" or "input/output" or (input adj output) or "IO's") adj (second or unit or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:58
L7	23658	raid or (redundant adj array adj inexpensive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:54
L8	369643	san or (storage adj area adj network)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:55

L9	842	17 near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:57
L10	214	18 near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:56
L11	1	19 same (15 or 16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:11
L12	2	110 same (15 or 16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:57
L13	1957	configuration same (15 or 16)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:07
L14	39	(17 or 18) same 113	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:01
L15	15840	IO\$2 adj (second or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:59
L16	10785	("I/O" or "input/output" or (input adj output) or "IO's") adj (second or time or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:00
L17	1326	("I/O" or "input/output" or (input adj output) or "IO's") adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 15:59

L18	1671	IOS2 adj rate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:00
L19	602	("I/O" or "input/output" or (input adj output) or "IO's" or IOS2) adj traffic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:01
L20	26270	115 or 116 or 117 or 118 or 119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:01
L21	950	configuration same 120	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:01
L22	22	(17 or 18) same 121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:04
L23	284	120 near2 (select\$3 or choos\$3 or chose)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:05
L24	1	123 with (user or administrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:06
L25	2	123 same (17 or 18)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:06
L26	8	123 same (user or administrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:07

L27	72	120 with 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:07
L28	81	120 with 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:07
L29	17	configuration same (127 or 128)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:08
L30	1212	random adj (read\$3 or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:09
L31	2357	sequential adj (read or fetch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:09
L32	0	(19 or 110) same (130 or 131)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	NEAR	ON	2005/06/08 16:11